

TECHNICAL DATA



CK Fast Gasket Blue Silicone Gasket Maker

Product Description and Purpose

CK Fast Gasket Blue can be used on metal, glass, ceramics, wood, rubber and most plastics. As an instant gasket maker, this product replaces a wide range of cork, paper, asbestos, felt and metal gaskets. This product has excellent adhesion characteristics and high chemical resistance. Will not sag or shrink and is impervious to extreme temperatures.

Features/Benefits

- 100% Low Volatile R.T.V. Silicone
- Safe to Use on Oxygen Sensor Equipped Vehicles
- Temperature Range -60°F to +650°F
- Meets G.M. and O.E.M. Specifications
- Remains Permanently Flexible

General Usage Directions

1. Surface must be clean, dry and free of oil, tar, dirt and dust for best adhesion.
2. Hold **CK Fast Gasket Blue** can at 45° angle and apply a continuous bead of 1/16" to 1/8" to the mating surface, encircling all bolt holes.
3. For adhesion to both parts, assemble immediately. One part adhesion, allow 10 to 15 minutes for bead to skin.
4. Assemble parts, but do not squeeze gasket out by over tightening bolts.
5. Starts to cure immediately, fully cures in 24 hours and reaches optimum strength in 7 days.

Physical Properties

Form	Aerosol Paste
Color	Blue
Odor	Characteristic

Caution

Keep out of reach of children. Keep container tightly closed when not in use. Protect from freezing. Read Safety Data Sheets for more information.



1204 SW Jefferson Street
Lee's Summit, MO 64081
816-524-1304
Fax: 816-524-3260
www.ckinc.com