

Safety Data Sheet



C K Enterprises, Inc.
1204 SW Jefferson Street
Lee's Summit, Missouri 64081-9899
(816) 524-1304

Section 1. Chemical Product and Company Identification

Product Name Aim Point Grease
Product Use Multi-Purpose Lubricant
Product Code 6945-A16
Date of Issue 7/5/2017
Supersedes 5/19/2016

Emergency Telephone Numbers
CHEMTREC- 1-800-424-9300

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

Section 2. Hazards Identification

Emergency Overview

DANGER



Health Hazards

Serious eye damage/eye irritation
STOT, single exposure; Respiratory Tract Irritation

Category 2B
Category 3

Physical Hazards

Flammable Aerosol

Category 1

Precautionary Statements:

P101 If medical advice is needed, have the product container or label in hand.
P102 Keep out of the reach of children.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn even after use.
P261 Avoid breathing in mist, vapor or spray.
P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a recovery position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313 IF eye irritation persists: Get medical attention.
P403+P233 Store in a well-ventilated area. Keep container tightly closed.
P405 Store locked up.
P410 Protect from sunlight.
P412 Do not expose to temperatures exceeding 50°C/122°F.
P501 Dispose of contents and container in accordance with all local, regional, nation and international regulations.

Hazard Statements:

H222 Extremely flammable aerosol
H229 Pressurized container: may burst if heated
H320 Causes eye irritation
H335 May cause respiratory irritation

Routes of Entry Dermal, Oral, and Inhalation**Acute Effects:**

Eyes	Overexposure will cause redness and burning sensation.
Skin	Overexposure will cause defatting of skin.
Inhalation	Overexposure can include: irritation, headache, dizziness, nausea, and loss of coordination. Extreme exposure can cause unconsciousness and even death.
Ingestion	May cause gastrointestinal distress.

Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients	CAS Number	% by Weight
Mineral Oil, Petroleum Distillates, Solvent-Dewaxed Heavy Paraffinic	64742-65-0	50-85
Propane	74-98-6	9-24
Butane	106-97-8	4-11

Section 4. First Aid Measures

Eye Contact	Flush with plenty of water for at least 15 minutes while holding open eyelids. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical attention.
Skin Contact	Take off all contaminated clothing; wash before reuse. Wash with plenty of water for 15 minutes. Call a poison center or physician if you feel unwell.
Inhalation	Remove to fresh air and keep at a position comfortable for breathing. If you feel unwell, call a poison center or doctor.
Ingestion	Rinse mouth. Do not induce vomiting. Immediately call a poison center or doctor. Never give anything to an unconscious person orally. If vomiting occurs naturally, lie on your side, in recovery position.

Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A)
(estimated rating)



Hazardous Combustion Products	Oxides of carbon
Extinguishing Media	Water, fog, dry chemical or carbon dioxide
Unsuitable Extinguishing Media	Water may be ineffective but can be used to cool containers exposed to heat or flame
Fire Fighting Procedures	Wear appropriate self containing breathing apparatus and gear. Remove undamaged containers from hazard if safe to do so. Contents under pressure. Keep away from ignition sources and open flames. Exposure to extreme heat and flames can cause them to rupture often with violent force.

Section 6. Accidental Release Measures

Spill Clean Up	Wear personal protective gear. Eliminate all ignition sources. Stay upwind. Do not touch or walk through spilled material. Prevent entry into sewers, storm drains and waterways. Use absorbent sweeping compound to soak up material and put into suitable container for proper disposal.
-----------------------	--

Section 7. Handling and Storage

Handling and Storage	For industrial use only. Keep away from children. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe in mist or vapors. Do not eat, drink or smoke while product is in use. Remove contaminated clothing and wash before reuse. Use in well-ventilated area. Store in a cool, dry place. Avoid direct sunlight. Do not cut, drill, grind or weld on or near containers. Do not pressurize containers to empty them. Store at temperatures below 120°F.
-----------------------------	--

Section 8. Exposure Controls/Personal Protection**Exposure Limits**

Product Name	OSHA PEL	NIOSH REL	AIHA WEEL	ACGIH TLV
Mineral Oil (64742-65-0)	500ppm	-	-	-
Butane (106-97-8)	-	800ppm	-	1000ppm
Propane (74-98-6)	1000ppm	1000ppm	-	2500ppm

Engineering Controls Use in a well-ventilated area. Use local exhaust systems to control emissions.

**Personal Protective Equipment (PPE)**

Eyes Chemical splash goggles

Body Nitrile Rubber or neoprene Gloves, long shirt and pants; wear chemical resistant and other protective clothing to prevent skin contact

Respiratory Use a NIOSH approved respirator if TLV are reached or exceeded. If spraying continuously or more than one can in sequence, wear a NIOSH approved respirator.

Section 9. Physical and Chemical Properties

Physical State	Aerosol	%VOC	25.00%
Appearance	Grease	Vapor Pressure	N/A
Odor	Mild odor	Vapor Density	Slower than ether
Odor Threshold	N/A	Density	6.48882 lb/gal
pH	N/A	Solubility	Insoluble in water
Freezing Point	N/A	Partition Coefficient	N/A
Boiling Point	N/A	Auto-Ignition Temp.	N/A
Flash Point	<73°F	Decomposition Temp.	N/A
Evaporation Rate	Slower than ether	Viscosity	N/A
Flammability	Flashpoint <73°F	Specific Gravity	N/A

Section 10. Stability and Reactivity

Stability and Reactivity	Stable
Incompatibility	None known
Hazardous Polymerization	Will not occur
Hazardous Decomposition Products	In fire, will decompose to CO and CO ₂
Conditions to Avoid	High temperatures

Section 11. Toxicological Information

Routes of Entry	Dermal, oral and inhalation
Symptoms	See section 2
Skin Irritant	No
Eye Irritant	No
Sensitizers	Not determined
Mutagenicity	No information found
Carcinogenicity	No data available
Reproductive Toxicity	No information found
Target Organs	No target organs

There is no toxicological data for this product as a whole. Based on relevant ingredients with known acute toxicity, the acute toxicity estimate using the additive formula (ATE) has been determined.

Acute Toxicity**Butane (106-97-8)**

Inhalation	LC50 (inhalation, rat) 658gm/m3/4H (658000mg/m3)
-------------------	--

Mineral Oil (64742-65-0)

Oral	LD50 (oral, rat) 5000mg/kg
Dermal	LD50 (dermal, rabbit) 5000mg/kg

Section 12. Ecological Information

Environmental Effects No ecological information available

Section 13. Disposal Considerations

Waste Information Dispose of in accordance with all Federal, State and Local pollution control regulations.

Section 14. Transportation Information

Regulatory Information	UN number	Proper Shipping Name	Classes	Packaging Group	Label Code
DOT Classification		Consumer Commodity, ORM-D			

Note: DOT Classification applies to most packaging sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

Section 15. Regulatory Information

US Federal Regulations The following substances are listed as a toxic chemical and are subject to report under the SARA act Section 313: None

The following substances have CERCLA reportable quantity values (in pounds):

None

The following substance has **CAA 112(r) TQ**:

Butane	106-97-8	10000lbs
Propane	74-98-6	10000lbs

State Regulations None

Section 16. Other Information

Last Revision 7/5/2017

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.